


## **Historic, archived document**

**Do not assume content reflects current scientific knowledge, policies, or practices**







# EGG BREEDS OF CHICKENS




SINGLE COMB WHITE LEGHORN, FEMALE

Pullet,  $3\frac{1}{2}$  lbs.  
Hen, 4 lbs.Cockerel,  $4\frac{1}{2}$  lbs.  
Cock,  $5\frac{1}{2}$  lbs.


SINGLE COMB LIGHT BROWN LEGHORN, FEMALE

Pullet,  $3\frac{1}{2}$  lbs.  
Hen, 4 lbs.Cockerel,  $4\frac{1}{2}$  lbs.  
Cock,  $5\frac{1}{2}$  lbs.

SINGLE COMB ANCONA, FEMALE

Pullet,  $3\frac{1}{2}$  lbs.  
Hen,  $4\frac{1}{2}$  lbs.Cockerel,  $4\frac{1}{2}$  lbs.  
Cock,  $5\frac{1}{2}$  lbs.

SINGLE COMB BLACK MINORCA, FEMALE

Pullet,  $6\frac{1}{2}$  lbs.  
Hen,  $7\frac{1}{2}$  lbs.Cockerel,  $7\frac{1}{2}$  lbs.  
Cock, 9 lbs.

Glossary chart giving the names of the various sections of a male fowl.

Office of Agricultural Instruction in cooperation with the Bureau of Animal Industry, United States Department of Agriculture, Washington, D. C.